

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

# Issue date 10/12/2015

Reviewed on 10/08/2015

## 1 Identification

- · Product Identifier
- · Trade name: MegaMelt HaliteCrystal Deice
- · Relevant identified uses of the substance or mixture and uses advised against:
- · Product Description Deicing Salt
- · Details of the Supplier of the Safety Data Sheet:
- Manufacturer/Supplier: Central Salt LLC
   385 Airport Road, Suite 108
   Elgin, IL 60123 USA
   1-847-608-8130 (For product information)
   1-847-608-8135 (Fax)
   Emergency telephone number: 1-620-257-5626 (For emergencies)

# 2 Hazard(s) Identification

# · Classification of the substance or mixture:

GHS07

Acute Tox. 4 H332 Harmful if inhaled.

Skin Irrit. 2 H315 Causes skin irritation.

STOT SE 3 H335 May cause respiratory irritation.

Eye Irrit. 2B H320 Causes eye irritation.

· Label elements:

- · GHS label elements
- The substance is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms:



- · Signal word: Warning
- · Hazard-determining components of labeling:
- Sodium Chloride
- Hazard statements:
- Harmful if inhaled. Causes skin and eye irritation. May cause respiratory irritation.
- Precautionary statements:

Avoid breathing dust/fume/gas/mist/vapors/spray.

Use only outdoors or in a well-ventilated area.

- Wear protective gloves.
- Wash thoroughly after handling.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Specific treatment (see supplementary first aid instructions on this Safety Data Sheet).

IF INHALED: Remove person to fresh air and keep comfortable for breathing.



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 10/12/2015

# Trade name: MegaMelt HaliteCrystal Deice

Call a POISON CENTER/doctor if you feel unwell. If skin irritation occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. IF ON SKIN: Wash with plenty of water. Take off contaminated clothing and wash it before reuse. Store locked up. Store in a well-ventilated place. Keep container tightly closed. Dispose of contents/container in accordance with local/regional/national/international regulations. • Classification system: • NFPA ratings (scale 0 - 4)



· HMIS-ratings (scale 0 - 4)

HEALTH 1	Health = 1
FIRE 0	Fire = 0
REACTIVITY 0	Reactivity = 0

· Hazard(s) not otherwise classified (HNOC): None known

3 Composition/Information on Ingredients

# · Chemical characterization: Mixtures

· **Description:** Mixture: consisting of the following components.

# · Dangerous Components:

CAS: 7647-14-5 Sodium Chloride 92-98% RTECS: VZ4725000 Acute Tox. 4, H302; Acute Tox. 4, H332; Skin Irrit. 2, H315; STOT SE 3, H335; Eye Irrit. 2B, H320

# 4 First-Aid Measures

# · Description of first aid measures:

# · After inhalation:

Remove to fresh air. If not breathing, give artificial respiration or give oxygen by trained personnel. Get immediate medical attention.

# After skin contact:

Wash with soap and water.

Get medical attention if symptoms occur.

# · After eye contact:

If contact with eyes, remove contact lenses if worn and immediately flush eyes with plenty of water for at least 15 minutes lifting upper and lower eyelids occasionally. GET MEDICAL ATTENTION IF IRRITATION OR BLURRED VISION OCCURS.

# • After swallowing:

Induce vomiting as directed by medical personnel. Never give anything by mouth to an unconscious person. GET MEDICAL ATTENTION IMMEDIATELY.

· Information for doctor:

• Most important symptoms and effects, both acute and delayed: No further relevant information available.

Indication of any immediate medical attention and special treatment needed:

No further relevant information available.

(Contd. on page 3)

Reviewed on 10/08/2015



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Page 3/8

Reviewed on 10/08/2015

Issue date 10/12/2015

Trade name: MegaMelt HaliteCrystal Deice

# 5 Fire-Fighting Measures

- Extinguishing media:
- · Suitable extinguishing agents:
- CO<sub>2</sub>, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- Special hazards arising from the substance or mixture: No further relevant information available.
- Advice for firefighters:
- Protective equipment:

As in any fire, wear self-contained breathing apparatus pressure-demand (NIOSH approved or equivalent) and full protective gear to prevent contact with skin and eyes.

# 6 Accidental Release Measures

- · Personal precautions, protective equipment and emergency procedures: Not required.
- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · Methods and material for containment and cleaning up:
- Use the appropriate tools to collect the material and dispose of it in an approved waste disposal container. Dispose of the collected material according to regulations.
- Reference to other sections:
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

# 7 Handling and Storage

#### · Handling

• Precautions for safe handling:

Handle in accordance with good industrial hygiene and safety practices. Avoid contact with eyes, skin and clothing. If ingested, seek medical advice immediately and show the container or the label. Use with adequate ventilation. Avoid breathing dust. Wash thoroughly after handling.

· Information about protection against explosions and fires: No special measures required.

- · Conditions for safe storage, including any incompatibilities:
- · Storage
- Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: See Section 10 (Incompatible materials)
- Further information about storage conditions: No further relevant information available...
- Specific end use(s): No further relevant information available.

8 Exposure Controls/Personal Protection

· Additional information about design of technical systems: No further data; see section 7.

- · Control parameters:
- Components with occupational exposure limits:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- · Additional information: The lists that were valid during the creation of this SDS were used as basis.
- Exposure controls:
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing and wash before reuse. Wash hands before breaks and at the end of work.



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Page 4/8

Reviewed on 10/08/2015

Issue date 10/12/2015

# Trade name: MegaMelt HaliteCrystal Deice

# · Breathing equipment:

Not normally required with this product. If the exposure limit is exceeded, and engineering controls are not feasible, see 29CFR1910.134 for details.

- Protection of hands: Not required.
- Eye protection:



Safety glasses

# 9 Physical and Chemical Properties

<ul> <li>Information on basic physical and cl</li> <li>General Information</li> <li>Appearance:</li> </ul>	hemical properties	
Form:	Crystalline powder	
Color:	White	
· Odor: · Odor threshold:	Slight Not determined.	
· pH-value @ 20 °C (68 °F):	7	
<ul> <li>Change in condition Melting point/Melting range: Boiling point/Boiling range:</li> </ul>	801 °C (1474 °F) 1413 °C (2575 °F)	
· Flash point:	None	
· Flammability (solid, gaseous):	Not determined.	
· Ignition temperature:	Not determined	
• Decomposition temperature:	Not determined.	
· Auto igniting:	Product is not self-igniting.	
• Danger of explosion:	Product does not present an explosion hazard.	
· Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
· Vapor pressure:	Not applicable.	
· Density @ 20 °C (68 °F):	2.165 g/cm³ (18.067 lbs/gal)	
· Bulk density @ 20 °C (68 °F):	800-1600 kg/m³	
Relative density:	Not determined.	
<ul> <li>Vapor density:</li> <li>Evaporation rate:</li> </ul>	Not applicable. Not applicable.	
Solubility in / Miscibility with:		
Water @ 20 °C (68 °F):	358 g/l	
· Partition coefficient (n-octanol/water	<i>):</i> Not determined.	
· Viscosity:		
Dynamic:	Not applicable.	
Kinematic:	Not applicable.	(Conto
		(



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 10/12/2015

Reviewed on 10/08/2015

# Trade name: MegaMelt HaliteCrystal Deice

· Other information:

No further relevant information available.

# 10 Stability and Reactivity

- · *Reactivity:* No further relevant information available.
- · Chemical stability: Stable under normal conditions.
- · Thermal decomposition / conditions to be avoided: When heated to decomposition it emits toxic fumes.
- · Possibility of hazardous reactions: No dangerous reactions known.
- · Conditions to avoid: High temperatures.
- · Incompatible materials: Reactive with oxidizing agents, metals, acids.
- · Hazardous decomposition products: No dangerous decomposition products known.

## 11 Toxicological Information

- · Information on toxicological effects:
- Acute toxicity:

· LD/LC50 values that are relevant for classification:

## 7647-14-5 Sodium Chloride

Oral LD50 3000 mg/kg (rat)

Dermal LD50 >10000 mg/kg (rabbit)

- · Primary irritant effect:
- · On the skin: No irritating effect.
- On the eye: Irritating effect.
- Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Irritant

# · Carcinogenic categories:

· IARC (International Agency for Research on Cancer):

None of the ingredients are listed.

• NTP (National Toxicology Program):

None of the ingredients are listed.

• OSHA-Ca (Occupational Safety & Health Administration):

None of the ingredients are listed.

2 Ecological Information

#### · Toxicity:

• Aquatic toxicity:

7647-14-5 Sodium Chloride

EC50 1661 mg/l (Water flea)

• Persistence and degradability: No further relevant information available.

· Behavior in environmental systems:

- · Bioaccumulative potential: No further relevant information available.
- · Mobility in soil: No further relevant information available.
- Additional ecological information:

· General notes:

Do not allow undiluted product or product that has not been neutralized to reach ground water, water course or sewage system.



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Reviewed on 10/08/2015

Issue date 10/12/2015

# Trade name: MegaMelt HaliteCrystal Deice

- · Results of PBT and vPvB assessment:
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects: No further relevant information available.

## 3 Disposal Considerations

- · Waste treatment methods:
- · Recommendation:

Observe all federal, state and local environmental regulations when disposing of this material.

- Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

# 4 Transport Information

- · UN-Number:
- · DOT, ADR, ADN, IMDG, IATA Non-Regulated Material • UN proper shipping name: · DOT, ADR, ADN, IMDG, IATA Non-Regulated Material • Transport hazard class(es):
- · DOT, ADR, ADN, IMDG, IATA · Class:
- · Packing group:
- · DOT, ADR, IMDG, IATA Non-Regulated Material • Environmental hazards: Not applicable.
- Not applicable. • Special precautions for user:
- · Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code: Not applicable. Non-Regulated Material
- UN "Model Regulation":

# 5 Regulatory Information

• Safety, health and environmental regulations/legislation specific for the substance or mixture: SARA (Superfund Amendments and Reauthorization):

Non-Regulated Material

- · Section 355 (extremely hazardous substances): None of the ingredients are listed. Section 313 (Specific toxic chemical listings): None of the ingredients are listed. TSCA (Toxic Substances Control Act): All ingredients are listed. · California Proposition 65: · Chemicals known to cause cancer: None of the ingredients are listed. · Chemicals known to cause reproductive toxicity for females: None of the ingredients are listed. · Chemicals known to cause reproductive toxicity for males:
  - None of the ingredients are listed.

(Contd. on page 7)



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Reviewed on 10/08/2015

Issue date 10/12/2015

# Trade name: MegaMelt HaliteCrystal Deice

• Chemicals known to cause developmental toxicity:

None of the ingredients are listed.

- · Carcinogenic categories:
- EPA (Environmental Protection Agency):

None of the ingredients are listed.

TLV (Threshold Limit Value established by ACGIH):

None of the ingredients are listed.

# • NIOSH-Ca (National Institute for Occupational Safety and Health):

None of the ingredients are listed.

# · GHS label elements

The substance is classified and labeled according to the Globally Harmonized System (GHS).

• Hazard pictograms:



# · Signal word: Warning

- *Hazard-determining components of labeling:* Sodium Chloride
- Hazard statements:

Harmful if inhaled. Causes skin and eye irritation.

# May cause respiratory irritation.

Precautionary statements:

Avoid breathing dust/fume/gas/mist/vapors/spray.

Use only outdoors or in a well-ventilated area.

Wear protective gloves.

Wash thoroughly after handling.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Specific treatment (see supplementary first aid instructions on this Safety Data Sheet).

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Call a POISON CENTER/doctor if you feel unwell.

If skin irritation occurs: Get medical advice/attention.

If eye irritation persists: Get medical advice/attention.

IF ON SKIN: Wash with plenty of water.

Take off contaminated clothing and wash it before reuse.

Store locked up.

Store in a well-ventilated place. Keep container tightly closed.

Dispose of contents/container in accordance with local/regional/national/international regulations.

# • National regulations:

The product is subject to be classified according with the latest version of the regulations on hazardous substances.

(Contd. on page 8)



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Page 8/8

Issue date 10/12/2015

Reviewed on 10/08/2015

## Trade name: MegaMelt HaliteCrystal Deice

# State Right to Know: Sodium Chloride 92-98% CAS: 7647-14-5 Sodium Chloride 92-98% RTECS: VZ4725000 Acute Tox. 4, H302; Acute Tox. 4, H332; Skin Irrit. 2, H315; STOT SE 3, H335; Eye Irrit. 2B, H320 92-98%

All ingredients are listed.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

## 16 Other Information

The information and recommendations in this safety data sheet are, to the best of our knowledge, accurate as of the date of issue. Nothing herein shall be deemed to create warranty, expressed or implied, and shall not establish a legally valid contractual relationship. It is the responsibility of the user to determine applicability of this information and the suitability of the material or product for any particular purpose.

• Date of preparation / last revision: 10/12/2015 / 2

#### • Abbreviations and acronyms:

ADR: The European Agreement concerning the International Carriage of Dangerous Goods by Road ADN: The European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Acute Tox. 4: Acute toxicity, Hazard Category 4

Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2

Eye Irrit. 2B: Serious eye damage/eye irritation, Hazard Category 2B

STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3

# \* Data compared to the previous version altered.

SDS created by MSDS Authoring Services www.msdsauthoring.com +1-877-204-9106